



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 6, 8, 2, 9, 7  
 2, 6, 7, 8, 9  
 Q1 = 4  
 Q3 = 8.5

mean = 6.4 numeri 2 6 7 8 9  
 median = 7 distanza 4.4 0.4 0.6 1.6 2.6  
 I.Q.R. = 4.5  
 M.A.D. = 1.9

1) 8, 2, 9, 4, 8

2) 5, 1, 8, 1, 8, 1

3) 8, 3, 1, 2, 9, 4

4) 5, 4, 7, 3, 2, 7, 1

5) 8, 6, 7, 8, 7, 9, 4

6) 5, 9, 5, 1, 6, 3, 6,  
 2

7) 6, 5, 5, 1, 4, 7, 1,  
 4

**Risposte**

Es. 6,4 7 4,5 1,9

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 6, 8, 2, 9, 7 2, 6, 7, 8, 9 Q1 = 4 Q3 = 8.5	mean = 6.4 numeri 2 6 7 8 9 median = 7 distanza 4.4 0.4 0.6 1.6 2.6 I.Q.R. = 4.5 M.A.D. = 1.9
1) 8, 2, 9, 4, 8 2, 4, 8, 8, 9 Q1 = 3 Q3 = 8.5	mean = 6.2 numeri 2 4 8 8 9 median = 8 distanza 4.2 2.2 1.8 1.8 2.8 I.Q.R. = 5.5 M.A.D. = 2.6
2) 5, 1, 8, 1, 8, 1 1, 1, 1, 5, 8, 8 Q1 = 1 Q3 = 8	mean = 4 numeri 1 1 1 5 8 8 median = 3 distanza 3 3 3 1 4 4 I.Q.R. = 7 M.A.D. = 3
3) 8, 3, 1, 2, 9, 4 1, 2, 3, 4, 8, 9 Q1 = 2 Q3 = 8	mean = 4.5 numeri 1 2 3 4 8 9 median = 3.5 distanza 3.5 2.5 1.5 0.5 3.5 4.5 I.Q.R. = 6 M.A.D. = 2.7
4) 5, 4, 7, 3, 2, 7, 1 1, 2, 3, 4, 5, 7, 7 Q1 = 2 Q3 = 7	mean = 4.1 numeri 1 2 3 4 5 7 7 median = 4 distanza 3.1 2.1 1.1 0.1 0.9 2.9 2.9 I.Q.R. = 5 M.A.D. = 1.9
5) 8, 6, 7, 8, 7, 9, 4 4, 6, 7, 7, 8, 8, 9 Q1 = 6 Q3 = 8	mean = 7 numeri 4 6 7 7 8 8 9 median = 7 distanza 3 1 0 0 1 1 2 I.Q.R. = 2 M.A.D. = 1.1
6) 5, 9, 5, 1, 6, 3, 6, 2 1, 2, 3, 5, 5, 6, 6, 9 Q1 = 2.5 Q3 = 6	mean = 4.6 numeri 1 2 3 5 5 6 6 9 median = 5 distanza 3.6 2.6 1.6 0.4 0.4 1.4 1.4 4.4 I.Q.R. = 3.5 M.A.D. = 2
7) 6, 5, 5, 1, 4, 7, 1, 4 1, 1, 4, 4, 5, 5, 6, 7 Q1 = 2.5 Q3 = 5.5	mean = 4.1 numeri 1 1 4 4 5 5 6 7 median = 4.5 distanza 3.1 3.1 0.1 0.1 0.9 0.9 1.9 2.9 I.Q.R. = 3 M.A.D. = 1.6

**Risposte**

Es.	<u>6,4</u>	<u>7</u>	<u>4,5</u>	<u>1,9</u>
1.	<u>6,2</u>	<u>8</u>	<u>5,5</u>	<u>2,6</u>
2.	<u>4</u>	<u>3</u>	<u>7</u>	<u>3</u>
3.	<u>4,5</u>	<u>3,5</u>	<u>6</u>	<u>2,7</u>
4.	<u>4,1</u>	<u>4</u>	<u>5</u>	<u>1,9</u>
5.	<u>7</u>	<u>7</u>	<u>2</u>	<u>1,1</u>
6.	<u>4,6</u>	<u>5</u>	<u>3,5</u>	<u>2</u>
7.	<u>4,1</u>	<u>4,5</u>	<u>3</u>	<u>1,6</u>



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 4, 7, 9, 9, 1      mean = 6    numeri 1   4   7   9   9  
 1, 4, 7, 9, 9      median = 7    distanza 5   2   1   3   3  
 Q1 = 2.5            I.Q.R. = 6.5  
 Q3 = 9              M.A.D. = 2.8

1) 9, 4, 1, 7, 8

2) 3, 4, 7, 3, 6, 1

3) 1, 7, 7, 3, 1, 4

4) 2, 8, 3, 7, 8, 2, 2

5) 6, 1, 5, 9, 5, 3, 6

6) 3, 3, 5, 5, 9, 8, 2,  
 2

7) 1, 1, 5, 7, 9, 2, 5,  
 2

**Risposte**

Es. 6   7   6,5   2,8

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 4, 7, 9, 9, 1	mean = 6	numeri	1	4	7	9	9
1, 4, 7, 9, 9	median = 7	distanza	5	2	1	3	3
Q1 = 2.5	I.Q.R. = 6.5						
Q3 = 9	M.A.D. = 2.8						
1) 9, 4, 1, 7, 8	mean = 5.8	numeri	1	4	7	8	9
1, 4, 7, 8, 9	median = 7	distanza	4.8	1.8	1.2	2.2	3.2
Q1 = 2.5	I.Q.R. = 6						
Q3 = 8.5	M.A.D. = 2.6						
2) 3, 4, 7, 3, 6, 1	mean = 4	numeri	1	3	3	4	6
1, 3, 3, 4, 6, 7	median = 3.5	distanza	3	1	1	0	2
Q1 = 3	I.Q.R. = 3						
Q3 = 6	M.A.D. = 1.7						
3) 1, 7, 7, 3, 1, 4	mean = 3.8	numeri	1	1	3	4	7
1, 1, 3, 4, 7, 7	median = 3.5	distanza	2.8	2.8	0.8	0.2	3.2
Q1 = 1	I.Q.R. = 6						
Q3 = 7	M.A.D. = 2.2						
4) 2, 8, 3, 7, 8, 2, 2	mean = 4.6	numeri	2	2	2	3	7
2, 2, 2, 3, 7, 8, 8	median = 3	distanza	2.6	2.6	2.6	1.6	2.4
Q1 = 2	I.Q.R. = 6						
Q3 = 8	M.A.D. = 2.7						
5) 6, 1, 5, 9, 5, 3, 6	mean = 5	numeri	1	3	5	5	6
1, 3, 5, 5, 6, 6, 9	median = 5	distanza	4	2	0	0	1
Q1 = 3	I.Q.R. = 3						
Q3 = 6	M.A.D. = 1.7						
6) 3, 3, 5, 5, 9, 8, 2, 2	mean = 4.6	numeri	2	2	3	3	5
2, 2, 3, 3, 5, 5, 8, 9	median = 4	distanza	2.6	2.6	1.6	1.6	0.4
Q1 = 2.5	I.Q.R. = 4						
Q3 = 6.5	M.A.D. = 2.1						
7) 1, 1, 5, 7, 9, 2, 5, 2	mean = 4	numeri	1	1	2	2	5
1, 1, 2, 2, 5, 5, 7, 9	median = 3.5	distanza	3	3	2	2	1
Q1 = 1.5	I.Q.R. = 4.5						
Q3 = 6	M.A.D. = 2.5						

**Risposte**

Es.	<u>6</u>	<u>7</u>	<u>6,5</u>	<u>2,8</u>
1.	<u>5,8</u>	<u>7</u>	<u>6</u>	<u>2,6</u>
2.	<u>4</u>	<u>3,5</u>	<u>3</u>	<u>1,7</u>
3.	<u>3,8</u>	<u>3,5</u>	<u>6</u>	<u>2,2</u>
4.	<u>4,6</u>	<u>3</u>	<u>6</u>	<u>2,7</u>
5.	<u>5</u>	<u>5</u>	<u>3</u>	<u>1,7</u>
6.	<u>4,6</u>	<u>4</u>	<u>4</u>	<u>2,1</u>
7.	<u>4</u>	<u>3,5</u>	<u>4,5</u>	<u>2,5</u>



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 1, 4, 1, 5, 8      mean = 3.8    numeri    1    1    4    5    8  
 1, 1, 4, 5, 8      median = 4    distanza 2.8    2.8    0.2    1.2    4.2  
 Q1 = 1              I.Q.R. = 5.5  
 Q3 = 6.5            M.A.D. = 2.2

1) 5, 9, 6, 6, 5

2) 2, 6, 5, 2, 7, 7

3) 9, 2, 5, 2, 6, 9

4) 2, 7, 9, 9, 3, 4, 7

5) 6, 2, 5, 2, 2, 4, 5

6) 8, 4, 7, 8, 9, 5, 4,  
 2

7) 8, 5, 3, 6, 8, 8, 6,  
 3

**Risposte**

Es. 3,8    4    5,5    2,2

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 1, 4, 1, 5, 8	mean = 3.8	numeri	1	1	4	5	8			
1, 1, 4, 5, 8	median = 4	distanza	2.8	2.8	0.2	1.2	4.2			
Q1 = 1	I.Q.R. = 5.5									
Q3 = 6.5	M.A.D. = 2.2									
1) 5, 9, 6, 6, 5	mean = 6.2	numeri	5	5	6	6	9			
5, 5, 6, 6, 9	median = 6	distanza	1.2	1.2	0.2	0.2	2.8			
Q1 = 5	I.Q.R. = 2.5									
Q3 = 7.5	M.A.D. = 1.1									
2) 2, 6, 5, 2, 7, 7	mean = 4.8	numeri	2	2	5	6	7	7		
2, 2, 5, 6, 7, 7	median = 5.5	distanza	2.8	2.8	0.2	1.2	2.2	2.2		
Q1 = 2	I.Q.R. = 5									
Q3 = 7	M.A.D. = 1.9									
3) 9, 2, 5, 2, 6, 9	mean = 5.5	numeri	2	2	5	6	9	9		
2, 2, 5, 6, 9, 9	median = 5.5	distanza	3.5	3.5	0.5	0.5	3.5	3.5		
Q1 = 2	I.Q.R. = 7									
Q3 = 9	M.A.D. = 2.5									
4) 2, 7, 9, 9, 3, 4, 7	mean = 5.9	numeri	2	3	4	7	7	9	9	
2, 3, 4, 7, 7, 9, 9	median = 7	distanza	3.9	2.9	1.9	1.1	1.1	3.1	3.1	
Q1 = 3	I.Q.R. = 6									
Q3 = 9	M.A.D. = 2.4									
5) 6, 2, 5, 2, 2, 4, 5	mean = 3.7	numeri	2	2	2	4	5	5	6	
2, 2, 2, 4, 5, 5, 6	median = 4	distanza	1.7	1.7	1.7	0.3	1.3	1.3	2.3	
Q1 = 2	I.Q.R. = 3									
Q3 = 5	M.A.D. = 1.5									
6) 8, 4, 7, 8, 9, 5, 4, 2	mean = 5.9	numeri	2	4	4	5	7	8	8	9
2, 4, 4, 5, 7, 8, 8, 9	median = 6	distanza	3.9	1.9	1.9	0.9	1.1	2.1	2.1	3.1
Q1 = 4	I.Q.R. = 4									
Q3 = 8	M.A.D. = 2.1									
7) 8, 5, 3, 6, 8, 8, 6, 3	mean = 5.9	numeri	3	3	5	6	6	8	8	8
3, 3, 5, 6, 6, 8, 8, 8	median = 6	distanza	2.9	2.9	0.9	0.1	0.1	2.1	2.1	2.1
Q1 = 4	I.Q.R. = 4									
Q3 = 8	M.A.D. = 1.7									

**Risposte**

Es.	<u>3,8</u>	<u>4</u>	<u>5,5</u>	<u>2,2</u>
1.	<u>6,2</u>	<u>6</u>	<u>2,5</u>	<u>1,1</u>
2.	<u>4,8</u>	<u>5,5</u>	<u>5</u>	<u>1,9</u>
3.	<u>5,5</u>	<u>5,5</u>	<u>7</u>	<u>2,5</u>
4.	<u>5,9</u>	<u>7</u>	<u>6</u>	<u>2,4</u>
5.	<u>3,7</u>	<u>4</u>	<u>3</u>	<u>1,5</u>
6.	<u>5,9</u>	<u>6</u>	<u>4</u>	<u>2,1</u>
7.	<u>5,9</u>	<u>6</u>	<u>4</u>	<u>1,7</u>



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 7, 4, 4, 2, 9      mean = 5.2    numeri    2    4    4    7    9  
 2, 4, 4, 7, 9      median = 4    distanza    3.2    1.2    1.2    1.8    3.8  
 Q1 = 3              I.Q.R. = 5  
 Q3 = 8              M.A.D. = 2.2

1) 8, 2, 3, 1, 4

2) 3, 4, 5, 3, 1, 3

3) 4, 7, 6, 1, 2, 4

4) 9, 1, 9, 7, 3, 8, 5

5) 4, 5, 6, 6, 6, 4, 7

6) 8, 4, 2, 7, 5, 5, 5,  
 8

7) 7, 1, 5, 4, 2, 3, 3,  
 2

**Risposte**

Es.	<u>5,2</u>	<u>4</u>	<u>5</u>	<u>2,2</u>
1.	_____	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 7, 4, 4, 2, 9	mean = 5.2	numeri	2	4	4	7	9
2, 4, 4, 7, 9	median = 4	distanza	3.2	1.2	1.2	1.8	3.8
Q1 = 3	I.Q.R. = 5						
Q3 = 8	M.A.D. = 2.2						
1) 8, 2, 3, 1, 4	mean = 3.6	numeri	1	2	3	4	8
1, 2, 3, 4, 8	median = 3	distanza	2.6	1.6	0.6	0.4	4.4
Q1 = 1.5	I.Q.R. = 4.5						
Q3 = 6	M.A.D. = 1.9						
2) 3, 4, 5, 3, 1, 3	mean = 3.2	numeri	1	3	3	3	4
1, 3, 3, 3, 4, 5	median = 3	distanza	2.2	0.2	0.2	0.2	0.8
Q1 = 3	I.Q.R. = 1						
Q3 = 4	M.A.D. = 0.9						
3) 4, 7, 6, 1, 2, 4	mean = 4	numeri	1	2	4	4	6
1, 2, 4, 4, 6, 7	median = 4	distanza	3	2	0	0	2
Q1 = 2	I.Q.R. = 4						
Q3 = 6	M.A.D. = 1.7						
4) 9, 1, 9, 7, 3, 8, 5	mean = 6	numeri	1	3	5	7	8
1, 3, 5, 7, 8, 9, 9	median = 7	distanza	5	3	1	1	2
Q1 = 3	I.Q.R. = 6						
Q3 = 9	M.A.D. = 2.6						
5) 4, 5, 6, 6, 6, 4, 7	mean = 5.4	numeri	4	4	5	6	6
4, 4, 5, 6, 6, 6, 7	median = 6	distanza	1.4	1.4	0.4	0.6	0.6
Q1 = 4	I.Q.R. = 2						
Q3 = 6	M.A.D. = 0.9						
6) 8, 4, 2, 7, 5, 5, 5,	mean = 5.5	numeri	2	4	5	5	5
8	median = 5	distanza	3.5	1.5	0.5	0.5	0.5
2, 4, 5, 5, 5, 7, 8, 8	I.Q.R. = 3						
Q1 = 4.5	M.A.D. = 1.6						
Q3 = 7.5							
7) 7, 1, 5, 4, 2, 3, 3,	mean = 3.4	numeri	1	2	2	3	3
2	median = 3	distanza	2.4	1.4	1.4	0.4	0.4
1, 2, 2, 3, 3, 4, 5, 7	I.Q.R. = 2.5						
Q1 = 2	M.A.D. = 1.5						
Q3 = 4.5							

**Risposte**

Es.	<u>5,2</u>	<u>4</u>	<u>5</u>	<u>2,2</u>
1.	<u>3,6</u>	<u>3</u>	<u>4,5</u>	<u>1,9</u>
2.	<u>3,2</u>	<u>3</u>	<u>1</u>	<u>0,9</u>
3.	<u>4</u>	<u>4</u>	<u>4</u>	<u>1,7</u>
4.	<u>6</u>	<u>7</u>	<u>6</u>	<u>2,6</u>
5.	<u>5,4</u>	<u>6</u>	<u>2</u>	<u>0,9</u>
6.	<u>5,5</u>	<u>5</u>	<u>3</u>	<u>1,6</u>
7.	<u>3,4</u>	<u>3</u>	<u>2,5</u>	<u>1,5</u>





Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 9, 9, 4, 5, 6  
 4, 5, 6, 9, 9  
 Q1 = 4.5  
 Q3 = 9

mean = 6.6 numeri 4 5 6 9 9  
 median = 6 distanza 2.6 1.6 0.6 2.4 2.4  
 I.Q.R. = 4.5  
 M.A.D. = 1.9

**Risposte**

Es. 6,6 6 4,5 1,9

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

1) 9, 6, 3, 8, 2

2) 3, 6, 2, 7, 4, 1

3) 9, 5, 4, 3, 4, 4

4) 7, 1, 5, 4, 2, 6, 4

5) 2, 5, 7, 3, 2, 7, 5

6) 5, 1, 2, 4, 6, 4, 8,  
 3

7) 4, 1, 8, 5, 3, 1, 6,  
 4



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es)	9, 9, 4, 5, 6 4, 5, 6, 9, 9 Q1 = 4.5 Q3 = 9	mean = 6.6 median = 6 I.Q.R. = 4.5 M.A.D. = 1.9	numeri 4 5 6 9 9 distanza 2.6 1.6 0.6 2.4 2.4
1)	9, 6, 3, 8, 2 2, 3, 6, 8, 9 Q1 = 2.5 Q3 = 8.5	mean = 5.6 median = 6 I.Q.R. = 6 M.A.D. = 2.5	numeri 2 3 6 8 9 distanza 3.6 2.6 0.4 2.4 3.4
2)	3, 6, 2, 7, 4, 1 1, 2, 3, 4, 6, 7 Q1 = 2 Q3 = 6	mean = 3.8 median = 3.5 I.Q.R. = 4 M.A.D. = 1.8	numeri 1 2 3 4 6 7 distanza 2.8 1.8 0.8 0.2 2.2 3.2
3)	9, 5, 4, 3, 4, 4 3, 4, 4, 4, 5, 9 Q1 = 4 Q3 = 5	mean = 4.8 median = 4 I.Q.R. = 1 M.A.D. = 1.4	numeri 3 4 4 4 5 9 distanza 1.8 0.8 0.8 0.8 0.2 4.2
4)	7, 1, 5, 4, 2, 6, 4 1, 2, 4, 4, 5, 6, 7 Q1 = 2 Q3 = 6	mean = 4.1 median = 4 I.Q.R. = 4 M.A.D. = 1.6	numeri 1 2 4 4 5 6 7 distanza 3.1 2.1 0.1 0.1 0.9 1.9 2.9
5)	2, 5, 7, 3, 2, 7, 5 2, 2, 3, 5, 5, 7, 7 Q1 = 2 Q3 = 7	mean = 4.4 median = 5 I.Q.R. = 5 M.A.D. = 1.8	numeri 2 2 3 5 5 7 7 distanza 2.4 2.4 1.4 0.6 0.6 2.6 2.6
6)	5, 1, 2, 4, 6, 4, 8, 3 1, 2, 3, 4, 4, 5, 6, 8 Q1 = 2.5 Q3 = 5.5	mean = 4.1 median = 4 I.Q.R. = 3 M.A.D. = 1.7	numeri 1 2 3 4 4 5 6 8 distanza 3.1 2.1 1.1 0.1 0.1 0.9 1.9 3.9
7)	4, 1, 8, 5, 3, 1, 6, 4 1, 1, 3, 4, 4, 5, 6, 8 Q1 = 2 Q3 = 5.5	mean = 4 median = 4 I.Q.R. = 3.5 M.A.D. = 1.8	numeri 1 1 3 4 4 5 6 8 distanza 3 3 1 0 0 1 2 4

**Risposte**

Es.	<u>6,6</u>	<u>6</u>	<u>4,5</u>	<u>1,9</u>
1.	<u>5,6</u>	<u>6</u>	<u>6</u>	<u>2,5</u>
2.	<u>3,8</u>	<u>3,5</u>	<u>4</u>	<u>1,8</u>
3.	<u>4,8</u>	<u>4</u>	<u>1</u>	<u>1,4</u>
4.	<u>4,1</u>	<u>4</u>	<u>4</u>	<u>1,6</u>
5.	<u>4,4</u>	<u>5</u>	<u>5</u>	<u>1,8</u>
6.	<u>4,1</u>	<u>4</u>	<u>3</u>	<u>1,7</u>
7.	<u>4</u>	<u>4</u>	<u>3,5</u>	<u>1,8</u>



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 8, 5, 4, 4, 9      mean = 6    numeri    4    4    5    8    9  
 4, 4, 5, 8, 9      median = 5    distanza    2    2    1    2    3  
 Q1 = 4              I.Q.R. = 4.5  
 Q3 = 8.5            M.A.D. = 2

1) 6, 5, 4, 3, 2

2) 6, 9, 8, 4, 4, 1

3) 7, 1, 4, 7, 2, 4

4) 3, 1, 6, 8, 7, 6, 5

5) 3, 7, 2, 5, 7, 9, 5

6) 2, 1, 8, 4, 2, 3, 1,  
 9

7) 9, 6, 6, 7, 7, 1, 4,  
 1

**Risposte**

Es.	<u>6</u>	<u>5</u>	<u>4,5</u>	<u>2</u>
1.	_____	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 8, 5, 4, 4, 9 4, 4, 5, 8, 9 Q1 = 4 Q3 = 8.5	mean = 6 numeri 4 4 5 8 9 median = 5 distanza 2 2 1 2 3 I.Q.R. = 4.5 M.A.D. = 2
1) 6, 5, 4, 3, 2 2, 3, 4, 5, 6 Q1 = 2.5 Q3 = 5.5	mean = 4 numeri 2 3 4 5 6 median = 4 distanza 2 1 0 1 2 I.Q.R. = 3 M.A.D. = 1.2
2) 6, 9, 8, 4, 4, 1 1, 4, 4, 6, 8, 9 Q1 = 4 Q3 = 8	mean = 5.3 numeri 1 4 4 6 8 9 median = 5 distanza 4.3 1.3 1.3 0.7 2.7 3.7 I.Q.R. = 4 M.A.D. = 2.3
3) 7, 1, 4, 7, 2, 4 1, 2, 4, 4, 7, 7 Q1 = 2 Q3 = 7	mean = 4.2 numeri 1 2 4 4 7 7 median = 4 distanza 3.2 2.2 0.2 0.2 2.8 2.8 I.Q.R. = 5 M.A.D. = 1.9
4) 3, 1, 6, 8, 7, 6, 5 1, 3, 5, 6, 6, 7, 8 Q1 = 3 Q3 = 7	mean = 5.1 numeri 1 3 5 6 6 7 8 median = 6 distanza 4.1 2.1 0.1 0.9 0.9 1.9 2.9 I.Q.R. = 4 M.A.D. = 1.8
5) 3, 7, 2, 5, 7, 9, 5 2, 3, 5, 5, 7, 7, 9 Q1 = 3 Q3 = 7	mean = 5.4 numeri 2 3 5 5 7 7 9 median = 5 distanza 3.4 2.4 0.4 0.4 1.6 1.6 3.6 I.Q.R. = 4 M.A.D. = 1.9
6) 2, 1, 8, 4, 2, 3, 1, 9 1, 1, 2, 2, 3, 4, 8, 9 Q1 = 1.5 Q3 = 6	mean = 3.8 numeri 1 1 2 2 3 4 8 9 median = 2.5 distanza 2.8 2.8 1.8 1.8 0.8 0.2 4.2 5.2 I.Q.R. = 4.5 M.A.D. = 2.5
7) 9, 6, 6, 7, 7, 1, 4, 1 1, 1, 4, 6, 6, 7, 7, 9 Q1 = 2.5 Q3 = 7	mean = 5.1 numeri 1 1 4 6 6 7 7 9 median = 6 distanza 4.1 4.1 1.1 0.9 0.9 1.9 1.9 3.9 I.Q.R. = 4.5 M.A.D. = 2.4

**Risposte**

Es.	<u>6</u>	<u>5</u>	<u>4,5</u>	<u>2</u>
1.	<u>4</u>	<u>4</u>	<u>3</u>	<u>1,2</u>
2.	<u>5,3</u>	<u>5</u>	<u>4</u>	<u>2,3</u>
3.	<u>4,2</u>	<u>4</u>	<u>5</u>	<u>1,9</u>
4.	<u>5,1</u>	<u>6</u>	<u>4</u>	<u>1,8</u>
5.	<u>5,4</u>	<u>5</u>	<u>4</u>	<u>1,9</u>
6.	<u>3,8</u>	<u>2,5</u>	<u>4,5</u>	<u>2,5</u>
7.	<u>5,1</u>	<u>6</u>	<u>4,5</u>	<u>2,4</u>



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 6, 6, 9, 2, 5  
 2, 5, 6, 6, 9  
 Q1 = 3.5  
 Q3 = 7.5

mean = 5.6 numeri 2 5 6 6 9  
 median = 6 distanza 3.6 0.6 0.4 0.4 3.4  
 I.Q.R. = 4  
 M.A.D. = 1.7

**Risposte**

Es. 5,6 6 4 1,7

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

1) 7, 5, 2, 2, 2

2) 5, 7, 8, 3, 2, 8

3) 4, 1, 5, 9, 9, 8

4) 9, 7, 6, 7, 4, 1, 7

5) 7, 1, 2, 3, 8, 5, 7

6) 8, 9, 4, 3, 4, 8, 1,  
 9

7) 2, 7, 6, 9, 9, 6, 2,  
 1



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 6, 6, 9, 2, 5	mean = 5.6	numeri	2	5	6	6	9			
2, 5, 6, 6, 9	median = 6	distanza	3.6	0.6	0.4	0.4	3.4			
Q1 = 3.5	I.Q.R. = 4									
Q3 = 7.5	M.A.D. = 1.7									
1) 7, 5, 2, 2, 2	mean = 3.6	numeri	2	2	2	5	7			
2, 2, 2, 5, 7	median = 2	distanza	1.6	1.6	1.6	1.4	3.4			
Q1 = 2	I.Q.R. = 4									
Q3 = 6	M.A.D. = 1.9									
2) 5, 7, 8, 3, 2, 8	mean = 5.5	numeri	2	3	5	7	8	8		
2, 3, 5, 7, 8, 8	median = 6	distanza	3.5	2.5	0.5	1.5	2.5	2.5		
Q1 = 3	I.Q.R. = 5									
Q3 = 8	M.A.D. = 2.2									
3) 4, 1, 5, 9, 9, 8	mean = 6	numeri	1	4	5	8	9	9		
1, 4, 5, 8, 9, 9	median = 6.5	distanza	5	2	1	2	3	3		
Q1 = 4	I.Q.R. = 5									
Q3 = 9	M.A.D. = 2.7									
4) 9, 7, 6, 7, 4, 1, 7	mean = 5.9	numeri	1	4	6	7	7	7	9	
1, 4, 6, 7, 7, 7, 9	median = 7	distanza	4.9	1.9	0.1	1.1	1.1	1.1	3.1	
Q1 = 4	I.Q.R. = 3									
Q3 = 7	M.A.D. = 1.9									
5) 7, 1, 2, 3, 8, 5, 7	mean = 4.7	numeri	1	2	3	5	7	7	8	
1, 2, 3, 5, 7, 7, 8	median = 5	distanza	3.7	2.7	1.7	0.3	2.3	2.3	3.3	
Q1 = 2	I.Q.R. = 5									
Q3 = 7	M.A.D. = 2.3									
6) 8, 9, 4, 3, 4, 8, 1, 9	mean = 5.8	numeri	1	3	4	4	8	8	9	9
1, 3, 4, 4, 8, 8, 9, 9	median = 6	distanza	4.8	2.8	1.8	1.8	2.2	2.2	3.2	3.2
Q1 = 3.5	I.Q.R. = 5									
Q3 = 8.5	M.A.D. = 2.8									
7) 2, 7, 6, 9, 9, 6, 2, 1	mean = 5.3	numeri	1	2	2	6	6	7	9	9
1, 2, 2, 6, 6, 7, 9, 9	median = 6	distanza	4.3	3.3	3.3	0.7	0.7	1.7	3.7	3.7
Q1 = 2	I.Q.R. = 6									
Q3 = 8	M.A.D. = 2.7									

**Risposte**

Es.	<u>5,6</u>	<u>6</u>	<u>4</u>	<u>1,7</u>
1.	<u>3,6</u>	<u>2</u>	<u>4</u>	<u>1,9</u>
2.	<u>5,5</u>	<u>6</u>	<u>5</u>	<u>2,2</u>
3.	<u>6</u>	<u>6,5</u>	<u>5</u>	<u>2,7</u>
4.	<u>5,9</u>	<u>7</u>	<u>3</u>	<u>1,9</u>
5.	<u>4,7</u>	<u>5</u>	<u>5</u>	<u>2,3</u>
6.	<u>5,8</u>	<u>6</u>	<u>5</u>	<u>2,8</u>
7.	<u>5,3</u>	<u>6</u>	<u>6</u>	<u>2,7</u>



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 5, 6, 5, 1, 9  
 1, 5, 5, 6, 9  
 Q1 = 3  
 Q3 = 7.5

mean = 5.2 numeri 1 5 5 6 9  
 median = 5 distanza 4.2 0.2 0.2 0.8 3.8  
 I.Q.R. = 4.5  
 M.A.D. = 1.8

1) 6, 9, 2, 6, 4

2) 2, 3, 5, 7, 3, 3

3) 2, 6, 7, 2, 2, 9

4) 5, 6, 4, 9, 2, 5, 6

5) 6, 3, 3, 4, 8, 5, 3

6) 3, 8, 8, 7, 6, 2, 4,  
 4

7) 3, 9, 8, 7, 1, 3, 5,  
 8

**Risposte**

Es. 5,2 5 4,5 1,8

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 5, 6, 5, 1, 9	mean = 5.2	numeri	1	5	5	6	9			
1, 5, 5, 6, 9	median = 5	distanza	4.2	0.2	0.2	0.8	3.8			
Q1 = 3	I.Q.R. = 4.5									
Q3 = 7.5	M.A.D. = 1.8									
1) 6, 9, 2, 6, 4	mean = 5.4	numeri	2	4	6	6	9			
2, 4, 6, 6, 9	median = 6	distanza	3.4	1.4	0.6	0.6	3.6			
Q1 = 3	I.Q.R. = 4.5									
Q3 = 7.5	M.A.D. = 1.9									
2) 2, 3, 5, 7, 3, 3	mean = 3.8	numeri	2	3	3	3	5	7		
2, 3, 3, 3, 5, 7	median = 3	distanza	1.8	0.8	0.8	0.8	1.2	3.2		
Q1 = 3	I.Q.R. = 2									
Q3 = 5	M.A.D. = 1.4									
3) 2, 6, 7, 2, 2, 9	mean = 4.7	numeri	2	2	2	6	7	9		
2, 2, 2, 6, 7, 9	median = 4	distanza	2.7	2.7	2.7	1.3	2.3	4.3		
Q1 = 2	I.Q.R. = 5									
Q3 = 7	M.A.D. = 2.7									
4) 5, 6, 4, 9, 2, 5, 6	mean = 5.3	numeri	2	4	5	5	6	6	9	
2, 4, 5, 5, 6, 6, 9	median = 5	distanza	3.3	1.3	0.3	0.3	0.7	0.7	3.7	
Q1 = 4	I.Q.R. = 2									
Q3 = 6	M.A.D. = 1.5									
5) 6, 3, 3, 4, 8, 5, 3	mean = 4.6	numeri	3	3	3	4	5	6	8	
3, 3, 3, 4, 5, 6, 8	median = 4	distanza	1.6	1.6	1.6	0.6	0.4	1.4	3.4	
Q1 = 3	I.Q.R. = 3									
Q3 = 6	M.A.D. = 1.5									
6) 3, 8, 8, 7, 6, 2, 4, 4	mean = 5.3	numeri	2	3	4	4	6	7	8	8
2, 3, 4, 4, 6, 7, 8, 8	median = 5	distanza	3.3	2.3	1.3	1.3	0.7	1.7	2.7	2.7
Q1 = 3.5	I.Q.R. = 4									
Q3 = 7.5	M.A.D. = 2									
7) 3, 9, 8, 7, 1, 3, 5, 8	mean = 5.5	numeri	1	3	3	5	7	8	8	9
1, 3, 3, 5, 7, 8, 8, 9	median = 6	distanza	4.5	2.5	2.5	0.5	1.5	2.5	2.5	3.5
Q1 = 3	I.Q.R. = 5									
Q3 = 8	M.A.D. = 2.5									

**Risposte**

Es.	<u>5,2</u>	<u>5</u>	<u>4,5</u>	<u>1,8</u>
1.	<u>5,4</u>	<u>6</u>	<u>4,5</u>	<u>1,9</u>
2.	<u>3,8</u>	<u>3</u>	<u>2</u>	<u>1,4</u>
3.	<u>4,7</u>	<u>4</u>	<u>5</u>	<u>2,7</u>
4.	<u>5,3</u>	<u>5</u>	<u>2</u>	<u>1,5</u>
5.	<u>4,6</u>	<u>4</u>	<u>3</u>	<u>1,5</u>
6.	<u>5,3</u>	<u>5</u>	<u>4</u>	<u>2</u>
7.	<u>5,5</u>	<u>6</u>	<u>5</u>	<u>2,5</u>





Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 8, 4, 9, 9, 2  
 2, 4, 8, 9, 9  
 Q1 = 3  
 Q3 = 9

mean = 6.4 numeri 2 4 8 9 9  
 median = 8 distanza 4.4 2.4 1.6 2.6 2.6  
 I.Q.R. = 6  
 M.A.D. = 2.7

**Risposte**

Es. 6,4 8 6 2,7

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_

1) 7, 1, 3, 2, 1

2) 5, 8, 3, 8, 2, 3

3) 2, 6, 1, 1, 2, 5

4) 1, 8, 6, 2, 4, 6, 9

5) 2, 3, 1, 2, 1, 1, 5

6) 7, 9, 5, 8, 3, 7, 4,  
 3

7) 9, 8, 4, 8, 1, 2, 3,  
 2



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 8, 4, 9, 9, 2	mean = 6.4	numeri	2	4	8	9	9			
2, 4, 8, 9, 9	median = 8	distanza	4.4	2.4	1.6	2.6	2.6			
Q1 = 3	I.Q.R. = 6									
Q3 = 9	M.A.D. = 2.7									
1) 7, 1, 3, 2, 1	mean = 2.8	numeri	1	1	2	3	7			
1, 1, 2, 3, 7	median = 2	distanza	1.8	1.8	0.8	0.2	4.2			
Q1 = 1	I.Q.R. = 4									
Q3 = 5	M.A.D. = 1.8									
2) 5, 8, 3, 8, 2, 3	mean = 4.8	numeri	2	3	3	5	8	8		
2, 3, 3, 5, 8, 8	median = 4	distanza	2.8	1.8	1.8	0.2	3.2	3.2		
Q1 = 3	I.Q.R. = 5									
Q3 = 8	M.A.D. = 2.2									
3) 2, 6, 1, 1, 2, 5	mean = 2.8	numeri	1	1	2	2	5	6		
1, 1, 2, 2, 5, 6	median = 2	distanza	1.8	1.8	0.8	0.8	2.2	3.2		
Q1 = 1	I.Q.R. = 4									
Q3 = 5	M.A.D. = 1.8									
4) 1, 8, 6, 2, 4, 6, 9	mean = 5.1	numeri	1	2	4	6	6	8	9	
1, 2, 4, 6, 6, 8, 9	median = 6	distanza	4.1	3.1	1.1	0.9	0.9	2.9	3.9	
Q1 = 2	I.Q.R. = 6									
Q3 = 8	M.A.D. = 2.4									
5) 2, 3, 1, 2, 1, 1, 5	mean = 2.1	numeri	1	1	1	2	2	3	5	
1, 1, 1, 2, 2, 3, 5	median = 2	distanza	1.1	1.1	1.1	0.1	0.1	0.9	2.9	
Q1 = 1	I.Q.R. = 2									
Q3 = 3	M.A.D. = 1									
6) 7, 9, 5, 8, 3, 7, 4, 3	mean = 5.8	numeri	3	3	4	5	7	7	8	9
3, 3, 4, 5, 7, 7, 8, 9	median = 6	distanza	2.8	2.8	1.8	0.8	1.2	1.2	2.2	3.2
Q1 = 3.5	I.Q.R. = 4									
Q3 = 7.5	M.A.D. = 2									
7) 9, 8, 4, 8, 1, 2, 3, 2	mean = 4.6	numeri	1	2	2	3	4	8	8	9
1, 2, 2, 3, 4, 8, 8, 9	median = 3.5	distanza	3.6	2.6	2.6	1.6	0.6	3.4	3.4	4.4
Q1 = 2	I.Q.R. = 6									
Q3 = 8	M.A.D. = 2.8									

**Risposte**

Es.	<u>6,4</u>	<u>8</u>	<u>6</u>	<u>2,7</u>
1.	<u>2,8</u>	<u>2</u>	<u>4</u>	<u>1,8</u>
2.	<u>4,8</u>	<u>4</u>	<u>5</u>	<u>2,2</u>
3.	<u>2,8</u>	<u>2</u>	<u>4</u>	<u>1,8</u>
4.	<u>5,1</u>	<u>6</u>	<u>6</u>	<u>2,4</u>
5.	<u>2,1</u>	<u>2</u>	<u>2</u>	<u>1</u>
6.	<u>5,8</u>	<u>6</u>	<u>4</u>	<u>2</u>
7.	<u>4,6</u>	<u>3,5</u>	<u>6</u>	<u>2,8</u>



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 5, 2, 6, 5, 1

mean = 3.8 numeri 1 2 5 5 6

1, 2, 5, 5, 6

median = 5 distanza 2.8 1.8 1.2 1.2 2.2

Q1 = 1.5

I.Q.R. = 4

Q3 = 5.5

M.A.D. = 1.8

1) 9, 8, 3, 6, 4

2) 8, 4, 1, 6, 7, 2

3) 4, 1, 6, 2, 7, 2

4) 7, 3, 5, 6, 1, 7, 6

5) 8, 9, 4, 9, 3, 3, 4

6) 2, 1, 2, 3, 1, 7, 7,  
1

7) 3, 8, 7, 6, 6, 8, 6,  
4

**Risposte**

Es. 3,8 5 4 1,8

1. \_\_\_\_\_

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

5. \_\_\_\_\_

6. \_\_\_\_\_

7. \_\_\_\_\_



Trova la Media, Mediana, intervallo interquartile, deviazione assoluta media della serie di numeri. Se possibile arrotonda alla decina più vicina.

Es) 5, 2, 6, 5, 1 1, 2, 5, 5, 6 Q1 = 1.5 Q3 = 5.5	mean = 3.8 numeri 1 2 5 5 6 median = 5 distanza 2.8 1.8 1.2 1.2 2.2 I.Q.R. = 4 M.A.D. = 1.8
1) 9, 8, 3, 6, 4 3, 4, 6, 8, 9 Q1 = 3.5 Q3 = 8.5	mean = 6 numeri 3 4 6 8 9 median = 6 distanza 3 2 0 2 3 I.Q.R. = 5 M.A.D. = 2
2) 8, 4, 1, 6, 7, 2 1, 2, 4, 6, 7, 8 Q1 = 2 Q3 = 7	mean = 4.7 numeri 1 2 4 6 7 8 median = 5 distanza 3.7 2.7 0.7 1.3 2.3 3.3 I.Q.R. = 5 M.A.D. = 2.3
3) 4, 1, 6, 2, 7, 2 1, 2, 2, 4, 6, 7 Q1 = 2 Q3 = 6	mean = 3.7 numeri 1 2 2 4 6 7 median = 3 distanza 2.7 1.7 1.7 0.3 2.3 3.3 I.Q.R. = 4 M.A.D. = 2
4) 7, 3, 5, 6, 1, 7, 6 1, 3, 5, 6, 6, 7, 7 Q1 = 3 Q3 = 7	mean = 5 numeri 1 3 5 6 6 7 7 median = 6 distanza 4 2 0 1 1 2 2 I.Q.R. = 4 M.A.D. = 1.7
5) 8, 9, 4, 9, 3, 3, 4 3, 3, 4, 4, 8, 9, 9 Q1 = 3 Q3 = 9	mean = 5.7 numeri 3 3 4 4 8 9 9 median = 4 distanza 2.7 2.7 1.7 1.7 2.3 3.3 3.3 I.Q.R. = 6 M.A.D. = 2.5
6) 2, 1, 2, 3, 1, 7, 7, 1 1, 1, 1, 2, 2, 3, 7, 7 Q1 = 1 Q3 = 5	mean = 3 numeri 1 1 1 2 2 3 7 7 median = 2 distanza 2 2 2 1 1 0 4 4 I.Q.R. = 4 M.A.D. = 2
7) 3, 8, 7, 6, 6, 8, 6, 4 3, 4, 6, 6, 6, 7, 8, 8 Q1 = 5 Q3 = 7.5	mean = 6 numeri 3 4 6 6 6 7 8 8 median = 6 distanza 3 2 0 0 0 1 2 2 I.Q.R. = 2.5 M.A.D. = 1.3

**Risposte**

Es.	<u>3,8</u>	<u>5</u>	<u>4</u>	<u>1,8</u>
1.	<u>6</u>	<u>6</u>	<u>5</u>	<u>2</u>
2.	<u>4,7</u>	<u>5</u>	<u>5</u>	<u>2,3</u>
3.	<u>3,7</u>	<u>3</u>	<u>4</u>	<u>2</u>
4.	<u>5</u>	<u>6</u>	<u>4</u>	<u>1,7</u>
5.	<u>5,7</u>	<u>4</u>	<u>6</u>	<u>2,5</u>
6.	<u>3</u>	<u>2</u>	<u>4</u>	<u>2</u>
7.	<u>6</u>	<u>6</u>	<u>2,5</u>	<u>1,3</u>